

ZEBRADOG

DYNAMIC ENVIRONMENT DESIGN



PERSPECTIVE - BRACKET STYLES 1 & 2
NTS

JOB SPECS

BRACKET FABRICATOR

BRACKET STYLE 1

Qty: ##

Overall Size: 4'-0"W x 9"H x 3"D


Fabricate bracket assembly with 1 1/2" aluminum tube. Use 1 1/4" aluminum tube for intermediates. Weld all joints. Cap off tube ends with welded caps. Grind all welds, debur, and ease all edges. Finish anodized or powder coated to a black oxide look. Drill 1/2" dia. threaded thru-holes through lower tube @ 3" on center to receive mounting eyebolt or threaded rod. Included two threaded eye bolts finished to match assembly. Drill 1/2" dia. thru holes in mounting plate. Threaded rod hangers not included.

Sample Needed:


1. Submit finish color sample for approval.
2. Submit first bracket fabricated for approval before progressing with initial run of ##.

Ship To: City of Wisconsin Dells Public Works Department.


Save all templates, jigs, forms, and shop drawings for future orders.




PERSPECTIVE - BRACKET STYLE 1
NTS




TOP VIEW - BRACKET STYLE 1
1 1/2" = 1'-0" 0 18"




PERSPECTIVE - BRACKET STYLE 1 CHAIN MOUNTING EXAMPLE
NTS



FRONT VIEW - BRACKET STYLE 1
1 1/2" = 1'-0" 0 18"



PERSPECTIVE - BRACKET STYLE 1 THREADED ROD EXAMPLE
NTS



BOTTOM VIEW - BRACKET STYLE 1
1 1/2" = 1'-0" 0 18"

JOB SPECS

BRACKET FABRICATOR

BRACKET STYLE 2

Qty: ##
 Overall Size: 3'-5 1/4"W x 9"H x 3"D

Fabricate bracket assembly extension arm with 1 1/2" Aluminum tube. Use 1" aluminum tube for intermediates. Use 1 1/4" aluminum tube for hangbar. Weld all joints. Cap off tube ends with welded caps. Grind all welds, debur, and ease all edges. Finish anodized or powder coated to a black oxide look.

Drill 1/2" dia. threaded thru-holes through hangbar @ 3" on center to receive mounting eyebolt or threaded rod. Included two threaded eye bolts finished to match assembly. Drill 1/2" dia. thru holes in mounting plate. Threaded rod hangers not included.

Sample Needed:

1. Submit finish color sample for approval.
2. Submit first bracket fabricated for approval before progressing with initial run of ##.

Ship To: City of Wisconsin Dells Public Works Department.


Save all templates, jigs, forms, and shop drawings for future orders.



PERSPECTIVE - BRACKET STYLE 2
 NTS


1/2" DIA. THRU HOLE
 -TYP

1/2" DIA. THREADED
 THRU HOLE
 -TYPICAL




(FOR REFERENCE ONLY)
 CHAIN
 AND EYE BOLT
 NOT INCLUDED

PERSPECTIVE - BRACKET STYLE 2 CHAIN MOUNTING EXAMPLE
 NTS




(FOR REFERENCE ONLY)
 THREADED ROD HANGER
 NOT INCLUDED

PERSPECTIVE - BRACKET STYLE 2 THREADED ROD EXAMPLE
 NTS




TOP VIEW - BRACKET STYLE 2

1 1/2" = 1'-0" 0 1/8"



FRONT VIEW - BRACKET STYLE 2

1 1/2" = 1'-0" 0 1/8"



BOTTOM VIEW - BRACKET STYLE 2

1 1/2" = 1'-0" 0 1/8"